

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

SCHEDULE A

Page 1 of 2

THIS SCHEDULE lists the precast concrete products of

Babcock Supply Ltd.
10357 Base Line
Dresden, Ontario
NOP 1M0

That have been found to comply with the **Prequalification Requirements for Precast Concrete Drainage Products**, (Revised February 2016) as certified by the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete product on page 2 of this schedule.

This plant and its output of product are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO). Failure on the part of **Babcock Supply Ltd.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, result in the decertification of this plant with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder is capable of making such product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2022** for the following products:

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 2

MANHOLES (MAINTENANCE HOLES)

<u>MAINTENANCE HOLES</u>	<u>Joint</u>	<u>Governing Specification</u>
1200, 1500, 1800, 2400 mm diameter	Single Offset Self-Lubricating Gasket	CSA A257.4 & OPSS 1351

All related products: base slabs, mono bases, flat caps, transitions, risers.

CATCH BASINS

<u>CATCH BASINS</u>	<u>Governing Specification</u>
600 x 600 mm (115 mm wall) Single Catch Basin	CSA A257.4 CSA S6
600 x 600 mm (150 mm wall) Single Catch Basin	
600 x 1450 mm (115 mm wall) Double Catch Basin	
600 x 600 mm (150 mm wall) Ditch Inlet	
600 x 1200 mm (150 mm wall) Ditch Inlet	
1200 x 1200 mm (225 mm wall) Ditch Inlet	

STRUCTURAL UNITS

<u>HEADWALLS</u>	<u>Governing Specification</u>
2835 x 1675 mm to 4695 x 2120 mm	OPSD 804.03 OPSD 804.04

Ver.1-2022