

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

SCHEDULE A

Page 1 of 2

THIS SCHEDULE lists the precast concrete products of:

***Beton Brunet Ltee.
1625 Blvd. Langlois
Valleyfield, Quebec
J6S 1C2***

That have been found to comply with the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete products on the subsequent pages of this schedule.

This plant and manufactured products are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO) of the CPCQA Program. Failure on the part of **Beton Brunet Ltee.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, (QAC) result in revision of this plant's Program compliance with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder can make compliant product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2024**, for the following products:

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 2

<u>CIRCULAR PIPE</u>	<u>Joint</u>	<u>Standard or Specification</u>
300 to 1800 mm 2100 mm	Single Offset	CSA A257.2 (Reinforced) All Classes
1950 mm 2250 to 3600 mm	Confined "O" Ring	CSA A257.2 (Reinforced) All Classes

All related products, fittings, bends, reducers, increasers, flared ends, plugs, caps, and radius pipe.

<u>CIRCULAR MANHOLES</u>	<u>Joint</u>	<u>Standard or Specification</u>
900 to 2400 mm	Single Offset	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, pre-benching, and grade rings.

<u>CATCH BASINS</u>	<u>Standard or Specification</u>
600 x 600 mm (115 mm wall) Single Catch Basin 600 x 600 mm (150 mm wall) Ditch Inlet	CSA A257.4

<u>REINFORCED CONCRETE BOX CULVERT</u>	<u>Standard or Specification</u>
1800 x 900 mm to 3000 x 2400 mm	OPSS 1821

All related products: fittings, bends, reducers, increasers, beveled ends, sloped ends, plugs, caps, and radius boxes.