

# CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

## SCHEDULE A

Page 1 of 3

THIS SCHEDULE lists the precast concrete products of

***Coldstream Concrete Limited***  
***RR#2, 402 Quaker Lane***  
***Ilderton, Ontario***  
***NOM 2A0***

That have been found to comply with the **Prequalification Requirements for Precast Concrete Drainage Products**, (Revised February 2016) as certified by the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete product on page 2 and 3 of this schedule.

This plant and its output of product are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO). Failure on the part of **Coldstream Concrete Ltd.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, result in the decertification of this plant with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder is capable of making such product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2022** for the following products:

# CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 3

## CONCRETE PIPE

<u>CIRCULAR PIPE</u>	<u>Joint</u>	<u>Governing Specification</u>
300 to 1650 mm	Single Offset Self-Lubricating Gasket	CSA A257.2 (Reinforced) Classes 50D, 65D, 100D, 140D
1800 mm	Single Offset Self-Lubricating Gasket	CSA A257.2 (Reinforced) Classes 50D, 65D

All related products, fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

<u>MICROTUNNELING PIPE</u>	<u>Joint</u>	<u>Governing Specification</u>
1350 mm Microtunneling	Wedge Gasket	CSA A257.2 (Reinforced) Class 140-D

## MANHOLES (MAINTENANCE HOLES)

<u>CIRCULAR MANHOLES</u>	<u>Joint</u>	<u>Governing Specification</u>
1200 to 2400 mm	Single Offset Self-Lubricating Gasket	CSA A257.4

<u>CATCH BASINS</u>	<u>Governing Specification</u>
600 x 600 mm (115 mm wall) Single Catch Basin 600 x 600 mm (150 mm wall) Single Catch Basin 600 x 1450 mm (115 mm wall) Double Catch Basin 600 x 600 mm (150 mm wall) Ditch Inlet 600 x 1200 mm (150 mm wall) Ditch Inlet 900 x 1200 mm (125 mm wall) Ditch Inlet 600 x 840 mm (1150 mm wall) Curb Inlet	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, pre-benching and grade rings

# CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 3 of 3

## **STRUCTURAL UNITS**

### **REINFORCED CONCRETE BOX CULVERT**

### **Governing Specifications**

**1800 x 900 mm to 3000 x 2400 mm**

**OPSS 1821**

**All related products: fittings, bends, reducers, increasers, plugs, caps, and radius boxes.**

### **STRUCTURAL DRAINAGE PRODUCTS**

### **Governing Specifications**

**Box Sections**

**CSA A23.4**

**914 x 610 mm to 3600 x 3600 mm**

**Category D1**

Ver.2-2022