

# CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

## SCHEDULE A

Page 1 of 3

THIS SCHEDULE lists the precast concrete products of

***Con Cast Pipe***  
***299 Brock Road South***  
***Puslinch, Ontario***  
***NOB 2J0***

That have been found to comply with the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete products on the subsequent pages of this schedule.

This plant and manufactured products are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO) of the CPCQA Program. Failure on the part of **Con Cast Pipe** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, (QAC) result in revision of this plant's Program compliance with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder can make compliant product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2024**, for the following products:

# CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 3

<b>CIRCULAR PIPE</b>	<b>Joint</b>	<b>Standard or Specification</b>
750 to 3000 mm	Single Offset Self-Lubricating Gasket	CSA A257.2 (Reinforced) All Classes
750, 975mm	Confined "O" Ring AWWA C302	CSA A257.2 (Reinforced) All Classes

All related products, fittings, bends, reducers, increasers, flared ends, plugs, caps, and radius pipe.

<b>ELLIPTICAL PIPE</b>	<b>Joint</b>	<b>Standard or Specification</b>
730 x 1150 to 1220 x 1920 mm Horizontal and Vertical Elliptical Pipe	Single Offset Self-Lubricating Gasket	ASTM C507M All Classes
1340 x 2110 to 1705 x 2690 mm Horizontal and Vertical Elliptical Pipe	No Gaskets	ASTM C507M All Classes

All related products, fittings, bends, reducers, increasers, flared ends, plugs, caps, and radius pipe.

<b>PIPE HEADWALLS</b>	<b>Joint</b>	<b>Standard or Specification</b>
300 to 825 mm 900 to 2400 mm	Mortar Joint	OPSD 804.030 OPSD 804.040

<b>CIRCULAR MANHOLES</b>	<b>Joint</b>	<b>Standard or Specification</b>
1200 to 3000 mm	Single Offset Self-Lubricating Gasket	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, pre-benching, and grade rings.

# CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 3 of 3

## **CATCH BASINS**

## **Standard or Specification**

600 x 600 mm (115 mm wall) Single Catch Basin  
600 x 600 mm (150 mm wall) Single Catch Basin  
1450 x 600 mm Double Catch Basin Catch Basin  
600 x 600 mm (150 mm wall) Ditch Inlet  
1200 x 600 mm (150 mm wall) Ditch Inlet  
840 x 600 mm (115 mm wall) Curb Inlet Catch Basin

CSA A257.4

## **REINFORCED CONCRETE BOX CULVERTS**

## **Standard or Specification**

1800 x 900 mm to 3000 x 2400 mm

OPSS 1821

All related products: fittings, bends, reducers, increasers, beveled ends, sloped ends, plugs, caps, and radius boxes.

## **STRUCTURAL PRECAST CONCRETE PRODUCTS**

## **Standard or Specification**

Precast Bridge Products

CSA A23.4  
Group B, Category B3 –  
Bridge Deck Slabs Only

Precast Concrete Drainage Products

CSA A23.4  
Group D, Category D1

Commercial, (structural) Precast Concrete Products

CSA A23.4  
Group C, Category CA2

Standard Products

CSA A23.4  
Group S