

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

SCHEDULE A

Page 1 of 3

THIS SCHEDULE lists the precast concrete products of

***Lafarge Canada Inc.
533 -116 Avenue
Edmonton, Alberta
T6S 1G3***

That have been found to comply with the **Prequalification Requirements for Precast Concrete Drainage Products**, (Revised February 2016) as certified by the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete product on page 2 and 3 of this schedule.

This plant and its output of product are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO) . Failure on the part of **Lafarge Canada Inc.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, result in the decertification of this plant with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder is capable of making such product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2022** for the following products:

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 3

CONCRETE PIPE

<u>CIRCULAR PIPE</u>	<u>Joint</u>	<u>Governing Specification</u>
300, 375, 450, 525, 600, 675, 750, 900, 1050, 1200, 1350, 1500, 1650, 1800, 1950, 2100, 2400, 3000mm	Self Lubricating Gasket Single Offset	CSA A257.2 (Reinforced) Class 65D, 100D, 140D

All related products: fittings, bends, reducers, increasers, plugs, caps, meter tee pipe and radius pipe.

MANHOLES (MAINTENANCE HOLES)

<u>CIRCULAR MAINTENANCE HOLES</u>	<u>Joint</u>	<u>Governing Specification</u>
1050, 1200, 1500, 1800, 2100, 2400, 3000mm Diameter	Self Lubricating Gasket Single Offset	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, pre-benching & grade rings.

<u>CATCH BASINS</u>	<u>Governing Specification</u>
600 to 1200 Diameter	CSA A257.4

STRUCTURAL UNITS

<u>REINFORCED CONCRETE BOX CULVERT</u>	<u>Governing Specifications</u>
1200 x 900 mm to 3600 x 2400 mm	ASTM C1433

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius boxes.

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 3 of 3

STRUCTURAL DRAINAGE PRODUCTS

Governing Specifications

Box Sections
1200 x 900 mm to 3600 x 3600 mm

CSA A23.4
Category D1

STANDARD PRODUCTS

Governing Specification

Standard Products
Storm Trap Type I-V

CSA A23.4
Category S1

Ver.1-2022