

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

SCHEDULE A

Page 1 of 3

THIS SCHEDULE lists the precast concrete products of

M Con Pipe & Products Inc.
2691 Greenfield Road
Ayr, Ontario
NOB 1E0

That have been found to comply with the **Prequalification Requirements for Precast Concrete Drainage Products**, (Revised February 2016) as certified by the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete product on page 2 and 3 of this schedule.

This plant and its output of product are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO). Failure on the part of **M Con Pipe & Products Inc.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, result in the decertification of this plant with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder is capable of making such product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2022** for the following products:

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 3

CONCRETE PIPE

CIRCULAR PIPE	Joint	Governing Specification
300 to 3000 mm	Single Offset Self-Lubricating Gasket	CSA A257.2 (Reinforced) Classes 50D, 65D, 100D, 140D

All related products, fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

ELLIPTICAL PIPE	Joint	Governing Specification
730 x 1150 to 1705 x 2690 mm Horizontal and Vertical Elliptical Pipe	Single Offset	ASTM C507M Classes HEI, HEII, HEIII, HEIV

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

MANHOLES (MAINTENANCE HOLES)

MANHOLES	Joint	Governing Specification
1200 to 3600 mm	Single Offset Self-Lubricating Gasket	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, pre-benching and grade rings.

CATCH BASINS	Governing Specification
600 x 600 mm (115 mm wall) Single catch basin 600 x 1450 mm (115 mm wall) Double catch basin 600 x 600 (150 mm wall) Ditch Inlet 1200 x 600 (150 mm wall) Ditch Inlet	CSA A257.4

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 3 of 3

STRUCTURAL UNITS

CONCRETE BOX CULVERT

Governing Specifications

1800 x 900 to 3000 x 2400 mm

OPSS 1821

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius boxes.

CONCRETE HEAD WALLS

Governing Specifications

300 to 825 mm Headwall
600 – 1800 mm Headwall

OPSD 804.030 modified
Precast concrete alternative
to OPSD 804.04

BRIDGE SECTIONS

Governing Specifications

Short Span Bridge Sections
3600 x 2100 to 4800 x 2100 mm

CSA A23.4
Category B1

STRUCTURAL DRAINAGE PRODUCTS

Governing Specifications

1800 x 900 to 6600 x 3300 mm

CSA A23.4
Category D1

Ver.1-2022