

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

SCHEDULE A

Page 1 of 3

THIS SCHEDULE lists the precast concrete products of

M Con Products Inc.
2150 Richardson Side Road
R.R. #3
Carp, Ontario
K0A 1L0

That have been found to comply with the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program, (Ver.1.2, October 2019)** with respect to the precast concrete products on the subsequent pages of this schedule.

This plant and manufactured products are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO) of the CPCQA Program. Failure on the part of **M Con Products Inc.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, (QAC) result in revision of this plant's Program compliance with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder can make compliant product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2022** for the following products:

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 3

<u>CIRCULAR PIPE</u>	<u>Joint</u>	<u>Standard or Specification</u>
300 to 3000 mm	Single Offset Self-Lubricating Gasket	CSA A257.2 (Reinforced) Classes 50D, 65D, 100D, 140D

All related products, fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

<u>ELLIPTICAL PIPE</u>	<u>Joint</u>	<u>Standard or Specification</u>
730 x 1150 to 2195 x 3455 mm Horizontal and Vertical Elliptical Pipe	No Gaskets	ASTM C507M Classes HEI, HEII, HEIII, HEIV

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

<u>MANHOLES</u>	<u>Joint</u>	<u>Standard or Specification</u>
1200 to 3000 mm	Single Offset Self-Lubricating Gasket	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, pre-benching and grade rings

<u>CATCH BASINS</u>	<u>Standard or Specification</u>
600 x 600 mm (115 mm wall) Single Catch basin 600 x 600 mm (150 mm wall) Single Catch basin 600 x 1450 mm (115 mm wall) Double Catch basin 600 x 600 mm (150 mm wall) Ditch Inlet	CSA A257.4

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 3 of 3

REINFORCED CONCRETE BOX CULVERT	Standard or Specification
--	----------------------------------

1800 x 900 mm to 3000 x 2400 mm	OPSS 1821
--	------------------

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius boxes.

STRUCTURAL PRECAST CONCRETE PRODUCTS	Standard or Specification
---	----------------------------------

Precast Concrete Drainage Products	CSA A23.4 Group D, Category D1
---	---

Ver.2-2022