

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

SCHEDULE A

Page 1 of 3

THIS SCHEDULE lists the precast concrete products of

Rainbow Concrete Industries Ltd.
2477 Maley Drive
Sudbury, Ontario
P3A 4R7

That have been found to comply with the **Prequalification Requirements for Precast Concrete Drainage Products**, (Revised February 2016) as certified by the **Canadian Precast Concrete Quality Assurance (CPCQA) Certification Program** with respect to the precast concrete product on pages 2 and 3 of this schedule.

This plant and its output of products are subject to periodic inspection and testing by the Accredited Certification Organization, (ACO). Failure on the part of **Rainbow Concrete Industries Ltd.** to maintain the required quality control or comply with all prequalification requirements or failure of the product manufactured at the said plant to comply with the standard specifications may, at the discretion of the CPCQA Quality Assurance Council, result in the decertification of this plant with respect to any or all precast products listed in this schedule.

The CPCQA does not represent that all product of the type referred to herein made by the Certificate Holder will meet the required standards, only that the Certificate Holder is capable of making such product. It is the responsibility of the Contractors or others who acquire product made by the Certificate Holder to ensure that such product meets requirements satisfactory for its use.

Except as provided for above, this Schedule is valid to **January 31, 2022** for the following products:

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 2 of 3

CONCRETE PIPE

<u>CIRCULAR PIPE</u>	<u>Joint</u>	<u>Governing Specification</u>
300 to 525, 675, 825, 975 mm diameter	Confined 'O' Ring	CSA A257.2 Classes 50D, 65D, 100D, 140D
600, 750, 900, 1050 to 3000 mm diameter	Single Offset	CSA A257.2 Classes 50D, 65D, 100D, 140D

All related products, fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

<u>ELLIPTICAL PIPE</u>	<u>Joint</u>	<u>Governing Specification</u>
735 x 1145 to 2465 x 3835 mm Horizontal Elliptical Pipe Vertical Elliptical Pipe	No gaskets	ASTM C507M HEI, HEII, HEIII, HEIV, VEIII, VEIV, VEV, VEVI

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius pipe.

MANHOLES (MAINTENANCE HOLES)

<u>MANHOLES</u>	<u>Joint</u>	<u>Governing Specification</u>
1200 to 3000 mm diameter	Single Offset	CSA A257.4

All related products: base slabs, flat caps, transitions, risers, monolithic bases, tapered tops, drop connections, prebenching.

<u>CATCH BASINS</u>	<u>Governing Specification</u>
600 x 450 mm (115 mm wall) Single Catch Basin 600 x 600 mm (115 mm wall) Single Catch Basin 600 x 600 mm (150 mm wall) Single Catch Basin 600 x 1200 mm (150 mm wall) Double Ditch Inlet 600 x 1450 mm (115 mm wall) Twin Inlet Catch Basin	CSA A257.4

CANADIAN PRECAST CONCRETE QUALITY ASSURANCE (CPCQA) CERTIFICATION PROGRAM

Page 3 of 3

STRUCTURAL UNITS

<u>CONCRETE BOX CULVERT</u>	<u>Joint</u>	<u>Governing Specification</u>
------------------------------------	---------------------	---------------------------------------

1800 x 900 mm to 2400 x 1500 mm	No gaskets	OPSS 1821
---------------------------------	------------	-----------

All related products: fittings, bends, reducers, increasers, plugs, caps, and radius boxes.

Ver.2-2022

